

-----> Parent Classloader:

java.net.URLClassLoader@681a9515

] class loader, parsed without DTD.

log4j:WARN Continuable parsing error 3 and column 69

log4j:WARN Element type "log4j:configuration" must be declared.

log4j:WARN Continuable parsing error 4 and column 67

log4j:WARN Element type "appender" must be declared.

log4j:WARN Continuable parsing error 5 and column 50

log4j:WARN Element type "layout" must be declared.

log4j:WARN Continuable parsing error 7 and column 32

log4j:WARN Element type "param" must be declared.

log4j:WARN Continuable parsing error 11 and column 27

log4j:WARN Element type "logger" must be declared.

log4j:WARN Continuable parsing error 12 and column 25

log4j:WARN Element type "level" must be declared.

log4j:WARN Continuable parsing error 14 and column 41

log4j:WARN Element type "logger" must be declared.

log4j:WARN Continuable parsing error 15 and column 25

log4j:WARN Element type "level" must be declared.

log4j:WARN Continuable parsing error 17 and column 42

log4j:WARN Element type "logger" must be declared.

log4j:WARN Continuable parsing error 18 and column 25

log4j:WARN Element type "level" must be declared.

log4j:WARN Continuable parsing error 20 and column 34

log4j:WARN Element type "logger" must be declared.

log4j:WARN Continuable parsing error 21 and column 25

log4j:WARN Element type "level" must be declared.

log4j:WARN Continuable parsing error 23 and column 8

log4j:WARN Element type "root" must be declared.

log4j:WARN Continuable parsing error 24 and column 25

log4j:WARN Element type "level" must be declared.

log4j:WARN Continuable parsing error 25 and column 32

log4j:WARN Element type "appender-ref" must be declared.

08-Mar-2019 16:00:24.844 SEVERE [localhost-startStop-2]

org.apache.catalina.core.ContainerBase.addChildInternal ContainerBase.addChild: start:

org.apache.catalina.LifecycleException: Failed to start component

[StandardEngine[Catalina].StandardHost[localhost].StandardContext[/WebAPI]]

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:162)

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:755)

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)

at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)

at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

Caused by: java.lang.IllegalArgumentException: Unable to load

[org.springframework.context.ApplicationContextInitializer] factories from location [META-INF/spring.factories]

at

org.springframework.core.io.support.SpringFactoriesLoader.loadFactoryNames(SpringFactoriesLoader.java:124)

at

org.springframework.boot.SpringApplication.getSpringFactoriesInstances(SpringApplication.java:401)

at

org.springframework.boot.SpringApplication.getSpringFactoriesInstances(SpringApplication.java:393)

at org.springframework.boot.SpringApplication.initialize(SpringApplication.java:260)

at org.springframework.boot.SpringApplication.<init>(SpringApplication.java:236)

at  
org.springframework.boot.builder.SpringApplicationBuilder.createSpringApplication(SpringApplicationBuilder.java:99)

at  
org.springframework.boot.builder.SpringApplicationBuilder.<init>(SpringApplicationBuilder.java:87)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.createSpringApplicationBuilder(SpringBootServletInitializer.java:142)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.createRootApplicationContext(SpringBootServletInitializer.java:105)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.onStartup(SpringBootServletInitializer.java:86)

at  
org.springframework.web.SpringServletContainerInitializer.onStartup(SpringServletContainerInitializer.java:169)

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5352)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:145)

... 10 more

Caused by: java.io.FileNotFoundException: /apache-tomcat-8.0.53/webapps/WebAPI/WEB-INF/lib/spring-integration-core-4.3.8.RELEASE.jar (No such file or directory)

at java.util.zip.ZipFile.open(Native Method)

at java.util.zip.ZipFile.<init>(ZipFile.java:225)

at java.util.zip.ZipFile.<init>(ZipFile.java:155)

at java.util.jar.JarFile.<init>(JarFile.java:166)

at java.util.jar.JarFile.<init>(JarFile.java:103)

at sun.net.www.protocol.jar.URLJarFile.<init>(URLJarFile.java:93)

at sun.net.www.protocol.jar.URLJarFile.getJarFile(URLJarFile.java:69)

at sun.net.www.protocol.jar.JarFileFactory.get(JarFileFactory.java:99)

at sun.net.www.protocol.jar.JarURLConnection.connect(JarURLConnection.java:122)

at sun.net.www.protocol.jar.JarURLConnection.getInputStream(JarURLConnection.java:152)

at org.springframework.core.io.UrlResource.getInputStream(UrlResource.java:169)

at  
org.springframework.core.io.support.PropertiesLoaderUtils.fillProperties(PropertiesLoaderUtils.java:132  
)

at  
org.springframework.core.io.support.PropertiesLoaderUtils.loadProperties(PropertiesLoaderUtils.java:1  
21)

at  
org.springframework.core.io.support.SpringFactoriesLoader.loadFactoryNames(SpringFactoriesLoader.ja  
va:117)

... 22 more

08-Mar-2019 16:00:24.856 SEVERE [localhost-startStop-2]

org.apache.catalina.startup.HostConfig.deployWAR Error deploying web application archive /apache-  
tomcat-8.0.53/webapps/WebAPI.war

java.lang.IllegalStateException: ContainerBase.addChild: start: org.apache.catalina.LifecycleException:  
Failed to start component

[StandardEngine[Catalina].StandardHost[localhost].StandardContext[/WebAPI]]

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:759)

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)

at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)

at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

08-Mar-2019 16:00:24.857 INFO [localhost-startStop-2]

org.apache.catalina.startup.HostConfig.deployWAR Deployment of web application archive /apache-  
tomcat-8.0.53/webapps/WebAPI.war has finished in 53,856 ms

08-Mar-2019 16:00:25.062 INFO [main] org.apache.coyote.AbstractProtocol.stop Stopping  
ProtocolHandler ["http-nio-8080"]



primary=false;  
factoryBeanName=org.springframework.batch.core.configuration.annotation.SimpleBatchConfiguration  
; factoryMethodName=jobBuilders; initMethodName=null; destroyMethodName=(inferred); defined in  
class path resource  
[org/springframework/batch/core/configuration/annotation/SimpleBatchConfiguration.class]] with  
[Root bean: class [null]; scope=; abstract=false; lazyInit=false; autowireMode=3; dependencyCheck=0;  
autowireCandidate=true; primary=true; factoryBeanName=jobConfig; factoryMethodName=jobBuilders;  
initMethodName=null; destroyMethodName=(inferred); defined in class path resource  
[org/ohdsi/webapi/JobConfig.class]]

2019-03-08 16:02:27.935 INFO localhost-startStop-1

org.springframework.beans.factory.support.DefaultListableBeanFactory - - Overriding bean definition  
for bean 'requestContextFilter' with a different definition: replacing [Root bean: class [null]; scope=;  
abstract=false; lazyInit=false; autowireMode=3; dependencyCheck=0; autowireCandidate=true;  
primary=false;

factoryBeanName=org.springframework.boot.autoconfigure.jersey.JerseyAutoConfiguration;  
factoryMethodName=requestContextFilter; initMethodName=null; destroyMethodName=(inferred);  
defined in class path resource

[org/springframework/boot/autoconfigure/jersey/JerseyAutoConfiguration.class]] with [Root bean:  
class

[org.springframework.boot.autoconfigure.web.WebMvcAutoConfiguration\$WebMvcAutoConfiguration  
Adapter]; scope=; abstract=false; lazyInit=false; autowireMode=3; dependencyCheck=0;  
autowireCandidate=true; primary=false; factoryBeanName=null;

factoryMethodName=requestContextFilter; initMethodName=null; destroyMethodName=(inferred);  
defined in class path resource

[org/springframework/boot/autoconfigure/web/WebMvcAutoConfiguration\$WebMvcAutoConfiguratio  
nAdapter.class]]

2019-03-08 16:02:30.284 INFO localhost-startStop-1

org.springframework.integration.config.IntegrationRegistrar - - No bean named  
'integrationHeaderChannelRegistry' has been explicitly defined. Therefore, a default  
DefaultHeaderChannelRegistry will be created.

2019-03-08 16:02:33.234 WARN localhost-startStop-1

org.springframework.context.annotation.ConfigurationClassEnhancer - - @Bean method  
ScopeConfiguration.stepScope is non-static and returns an object assignable to Spring's  
BeanFactoryPostProcessor interface. This will result in a failure to process annotations such as  
@Autowired, @Resource and @PostConstruct within the method's declaring @Configuration class. Add  
the 'static' modifier to this method to avoid these container lifecycle issues; see @Bean javadoc for  
complete details.

2019-03-08 16:02:33.364 WARN localhost-startStop-1

org.springframework.context.annotation.ConfigurationClassEnhancer - - @Bean method  
ScopeConfiguration.jobScope is non-static and returns an object assignable to Spring's  
BeanFactoryPostProcessor interface. This will result in a failure to process annotations such as  
@Autowired, @Resource and @PostConstruct within the method's declaring @Configuration class. Add

the 'static' modifier to this method to avoid these container lifecycle issues; see @Bean javadoc for complete details.

2019-03-08 16:02:33.562 INFO localhost-startStop-1

org.springframework.integration.config.DefaultConfiguringBeanFactoryPostProcessor - - No bean named 'errorChannel' has been explicitly defined. Therefore, a default PublishSubscribeChannel will be created.

2019-03-08 16:02:33.696 INFO localhost-startStop-1

org.springframework.beans.factory.annotation.AutowiredAnnotationBeanPostProcessor - - JSR-330 'javax.inject.Inject' annotation found and supported for autowiring

2019-03-08 16:02:34.141 INFO localhost-startStop-1

org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'converterConfiguration' of type  
[org.ohdsi.webapi.ConverterConfiguration\$\$EnhancerBySpringCGLIB\$\$f1694e2e] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)

2019-03-08 16:02:34.267 INFO localhost-startStop-1

org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'conversionService' of type  
[org.springframework.core.convert.support.DefaultConversionService] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)

2019-03-08 16:02:36.763 INFO localhost-startStop-1

org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration' of type  
[org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration\$\$EnhancerBySpringCGLIB\$\$8ace26e2] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)

2019-03-08 16:02:37.318 INFO localhost-startStop-1

org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'shiroConfiguration' of type  
[org.ohdsi.webapi.ShiroConfiguration\$\$EnhancerBySpringCGLIB\$\$cf3c8cdd] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)

2019-03-08 16:02:37.394 INFO localhost-startStop-1

org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'flywayConfig' of type [org.ohdsi.webapi.FlywayConfig\$\$EnhancerBySpringCGLIB\$\$8d71d936] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)

2019-03-08 16:02:43.116 INFO localhost-startStop-1

org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'secondaryDataSource' of type [org.apache.tomcat.jdbc.pool.DataSource] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)

2019-03-08 16:02:43.187 INFO localhost-startStop-1  
org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'org.springframework.boot.autoconfigure.jdbc.DataSourceAutoConfiguration' of type  
[org.springframework.boot.autoconfigure.jdbc.DataSourceAutoConfiguration\$\$EnhancerBySpringCGLIB  
\$\$6cc1ca42] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for  
auto-proxying)

2019-03-08 16:02:44.061 INFO localhost-startStop-1  
org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'spring.datasource-org.springframework.boot.autoconfigure.jdbc.DataSourceProperties' of type  
[org.springframework.boot.autoconfigure.jdbc.DataSourceProperties] is not eligible for getting  
processed by all BeanPostProcessors (for example: not eligible for auto-proxying)

2019-03-08 16:02:44.152 INFO localhost-startStop-1  
org.springframework.context.support.PostProcessorRegistrationDelegate\$BeanPostProcessorChecker -  
- Bean 'dataSourceInitializer' of type  
[org.springframework.boot.autoconfigure.jdbc.DataSourceInitializer] is not eligible for getting processed  
by all BeanPostProcessors (for example: not eligible for auto-proxying)

2019-03-08 16:02:44.982 INFO localhost-startStop-1 org.flywaydb.core.internal.util.VersionPrinter - -  
Flyway 4.2.0 by Boxfuse

2019-03-08 16:02:45.899 INFO localhost-startStop-1  
org.flywaydb.core.internal.dbsupport.DbSupportFactory - - Database:  
jdbc:postgresql://129.106.31.196:5432/OHDSI (PostgreSQL 9.2)

2019-03-08 16:02:47.107 INFO localhost-startStop-1 org.flywaydb.core.internal.command.DbMigrate - -  
Current version of schema "webapi": 2.5.0.20180725172844

2019-03-08 16:02:47.107 WARN localhost-startStop-1 org.flywaydb.core.internal.command.DbMigrate - -  
- outOfOrder mode is active. Migration of schema "webapi" may not be reproducible.

2019-03-08 16:02:47.113 INFO localhost-startStop-1 org.flywaydb.core.internal.command.DbMigrate - -  
Migrating schema "webapi" to version 2.5.0.20180730192730 - schema-add-kerberos-to-source

2019-03-08 16:02:47.225 ERROR localhost-startStop-1 org.flywaydb.core.internal.command.DbMigrate - -  
- Migration of schema "webapi" to version 2.5.0.20180730192730 - schema-add-kerberos-to-source  
failed! Changes successfully rolled back.

2019-03-08 16:02:47.238 WARN localhost-startStop-1  
org.springframework.boot.context.embedded.AnnotationConfigEmbeddedWebApplicationContext - -  
Exception encountered during context initialization - cancelling refresh attempt:  
org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name  
'shiroFilter' defined in class path resource [org/ohdsi/webapi/ShiroConfiguration.class]: Unsatisfied  
dependency expressed through method 'shiroFilter' parameter 0; nested exception is  
org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'flyway'  
defined in class path resource [org/ohdsi/webapi/FlywayConfig.class]: Invocation of init method failed;  
nested exception is org.flywaydb.core.internal.command.DbMigrate\$FlywayMigrateSqlException:



Migration V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql failed

-----  
SQL State : 42601

Error Code : 0

Message : ERROR: syntax error at or near "NOT"

Position: 41

Location : db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql  
(/apache-tomcat-8.0.53/webapps/WebAPI/WEB-INF/classes/db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql)

Line : 1

Statement : ALTER TABLE webapi.source ADD COLUMN IF NOT EXISTS krb\_auth\_method VARCHAR  
DEFAULT 'PASSWORD' NOT NULL

2019-03-08 16:02:47.240 ERROR localhost-startStop-1

org.springframework.beans.factory.support.DefaultListableBeanFactory - - Destroy method on bean  
with name 'dataSourceInitializer' threw an exception

java.lang.IllegalStateException: ApplicationEventMulticaster not initialized - call 'refresh' before  
multicasting events via the context:

org.springframework.boot.context.embedded.AnnotationConfigEmbeddedWebApplicationContext@36  
200f5c: startup date [Fri Mar 08 16:02:09 CST 2019]; root of context hierarchy

at

org.springframework.context.support.AbstractApplicationContext.getApplicationEventMulticaster(Abstr  
actApplicationContext.java:404)

at

org.springframework.context.support.ApplicationListenerDetector.postProcessBeforeDestruction(Applic  
ationListenerDetector.java:97)

at

org.springframework.beans.factory.support.DisposableBeanAdapter.destroy(DisposableBeanAdapter.ja  
va:253)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroyBean(DefaultSingleto  
nBeanRegistry.java:578)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroySingleton(DefaultSingl  
etonBeanRegistry.java:554)

at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.destroySingleton(DefaultListableBeanFactory.java:961)

at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroySingletons(DefaultSingletonBeanRegistry.java:523)

at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.destroySingletons(DefaultListableBeanFactory.java:968)

at  
org.springframework.context.support.AbstractApplicationContext.destroyBeans(AbstractApplicationContext.java:1033)

at  
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:555)

at  
org.springframework.boot.context.embedded.EmbeddedWebApplicationContext.refresh(EmbeddedWebApplicationContext.java:122)

at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:737)

at org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:370)

at org.springframework.boot.SpringApplication.run(SpringApplication.java:314)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.run(SpringBootServletInitializer.java:151)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.createRootApplicationContext(SpringBootServletInitializer.java:131)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.onStartup(SpringBootServletInitializer.java:86)

at  
org.springframework.web.SpringServletContainerInitializer.onStartup(SpringServletContainerInitializer.java:169)

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5352)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:145)

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:755)

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)  
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)  
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)  
at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)  
at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)  
at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)  
at java.lang.Thread.run(Thread.java:748)

2019-03-08 16:02:47.295 ERROR localhost-startStop-1

org.springframework.beans.factory.support.DefaultListableBeanFactory - - Destroy method on bean with name 'org.springframework.context.annotation.internalScheduledAnnotationProcessor' threw an exception

java.lang.IllegalStateException: ApplicationEventMulticaster not initialized - call 'refresh' before multicasting events via the context:

org.springframework.boot.context.embedded.AnnotationConfigEmbeddedWebApplicationContext@36200f5c: startup date [Fri Mar 08 16:02:09 CST 2019]; root of context hierarchy

at

org.springframework.context.support.AbstractApplicationContext.getApplicationEventMulticaster(AbstractApplicationContext.java:404)

at

org.springframework.context.support.ApplicationListenerDetector.postProcessBeforeDestruction(ApplicationListenerDetector.java:97)

at

org.springframework.beans.factory.support.DisposableBeanAdapter.destroy(DisposableBeanAdapter.java:253)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroyBean(DefaultSingletonBeanRegistry.java:578)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroySingleton(DefaultSingletonBeanRegistry.java:554)

at

org.springframework.beans.factory.support.DefaultListableBeanFactory.destroySingleton(DefaultListableBeanFactory.java:961)

at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroySingletons(DefaultSingletonBeanRegistry.java:523)

at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.destroySingletons(DefaultListableBeanFactory.java:968)

at  
org.springframework.context.support.AbstractApplicationContext.destroyBeans(AbstractApplicationContext.java:1033)

at  
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:555)

at  
org.springframework.boot.context.embedded.EmbeddedWebApplicationContext.refresh(EmbeddedWebApplicationContext.java:122)

at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:737)

at org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:370)

at org.springframework.boot.SpringApplication.run(SpringApplication.java:314)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.run(SpringBootServletInitializer.java:151)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.createRootApplicationContext(SpringBootServletInitializer.java:131)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.onStartup(SpringBootServletInitializer.java:86)

at  
org.springframework.web.SpringServletContainerInitializer.onStartup(SpringServletContainerInitializer.java:169)

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5352)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:145)

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:755)

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)

at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)  
at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)  
at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)  
at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)  
at java.lang.Thread.run(Thread.java:748)

2019-03-08 16:02:47.296 ERROR localhost-startStop-1

org.springframework.beans.factory.support.DefaultListableBeanFactory - - Destroy method on bean with name 'org.springframework.boot.context.properties.ConfigurationPropertiesBindingPostProcessor' threw an exception

java.lang.IllegalStateException: ApplicationEventMulticaster not initialized - call 'refresh' before multicasting events via the context:

org.springframework.boot.context.embedded.AnnotationConfigEmbeddedWebApplicationContext@36200f5c: startup date [Fri Mar 08 16:02:09 CST 2019]; root of context hierarchy

at

org.springframework.context.support.AbstractApplicationContext.getApplicationEventMulticaster(AbstractApplicationContext.java:404)

at

org.springframework.context.support.ApplicationListenerDetector.postProcessBeforeDestruction(ApplicationListenerDetector.java:97)

at

org.springframework.beans.factory.support.DisposableBeanAdapter.destroy(DisposableBeanAdapter.java:253)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroyBean(DefaultSingletonBeanRegistry.java:578)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroySingleton(DefaultSingletonBeanRegistry.java:554)

at

org.springframework.beans.factory.support.DefaultListableBeanFactory.destroySingleton(DefaultListableBeanFactory.java:961)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroySingletons(DefaultSingletonBeanRegistry.java:523)

at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.destroySingletons(DefaultListableBeanFactory.java:968)

at  
org.springframework.context.support.AbstractApplicationContext.destroyBeans(AbstractApplicationContext.java:1033)

at  
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:555)

at  
org.springframework.boot.context.embedded.EmbeddedWebApplicationContext.refresh(EmbeddedWebApplicationContext.java:122)

at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:737)

at org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:370)

at org.springframework.boot.SpringApplication.run(SpringApplication.java:314)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.run(SpringBootServletInitializer.java:151)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.createRootApplicationContext(SpringBootServletInitializer.java:131)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.onStartup(SpringBootServletInitializer.java:86)

at  
org.springframework.web.SpringServletContainerInitializer.onStartup(SpringServletContainerInitializer.java:169)

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5352)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:145)

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:755)

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)

at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)

at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)  
at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)  
at java.lang.Thread.run(Thread.java:748)

2019-03-08 16:02:47.296 ERROR localhost-startStop-1

org.springframework.beans.factory.support.DefaultListableBeanFactory - - Destroy method on bean with name 'org.springframework.boot.autoconfigure.internalCachingMetadataReaderFactory' threw an exception

java.lang.IllegalStateException: ApplicationEventMulticaster not initialized - call 'refresh' before multicasting events via the context:

org.springframework.boot.context.embedded.AnnotationConfigEmbeddedWebApplicationContext@36200f5c: startup date [Fri Mar 08 16:02:09 CST 2019]; root of context hierarchy

at

org.springframework.context.support.AbstractApplicationContext.getApplicationEventMulticaster(AbstractApplicationContext.java:404)

at

org.springframework.context.support.ApplicationListenerDetector.postProcessBeforeDestruction(ApplicationListenerDetector.java:97)

at

org.springframework.beans.factory.support.DisposableBeanAdapter.destroy(DisposableBeanAdapter.java:253)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroyBean(DefaultSingletonBeanRegistry.java:578)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroySingleton(DefaultSingletonBeanRegistry.java:554)

at

org.springframework.beans.factory.support.DefaultListableBeanFactory.destroySingleton(DefaultListableBeanFactory.java:961)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.destroySingletons(DefaultSingletonBeanRegistry.java:523)

at

org.springframework.beans.factory.support.DefaultListableBeanFactory.destroySingletons(DefaultListableBeanFactory.java:968)

at  
org.springframework.context.support.AbstractApplicationContext.destroyBeans(AbstractApplicationContext.java:1033)

at  
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:555)

at  
org.springframework.boot.context.embedded.EmbeddedWebApplicationContext.refresh(EmbeddedWebApplicationContext.java:122)

at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:737)

at org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:370)

at org.springframework.boot.SpringApplication.run(SpringApplication.java:314)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.run(SpringBootServletInitializer.java:151)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.createRootApplicationContext(SpringBootServletInitializer.java:131)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.onStartup(SpringBootServletInitializer.java:86)

at  
org.springframework.web.SpringServletContainerInitializer.onStartup(SpringServletContainerInitializer.java:169)

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5352)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:145)

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:755)

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)

at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)

at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)



at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

2019-03-08 16:02:47.302 ERROR localhost-startStop-1 org.springframework.boot.SpringApplication - -  
Application startup failed

org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'shiroFilter' defined in class path resource [org/ohdsi/webapi/ShiroConfiguration.class]: Unsatisfied dependency expressed through method 'shiroFilter' parameter 0; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'flyway' defined in class path resource [org/ohdsi/webapi/FlywayConfig.class]: Invocation of init method failed; nested exception is org.flywaydb.core.internal.command.DbMigrate\$FlywayMigrateSqlException:

Migration V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql failed

-----

SQL State : 42601

Error Code : 0

Message : ERROR: syntax error at or near "NOT"

Position: 41

Location : db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql  
(/apache-tomcat-8.0.53/webapps/WebAPI/WEB-INF/classes/db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql)

Line : 1

Statement : ALTER TABLE webapi.source ADD COLUMN IF NOT EXISTS krb\_auth\_method VARCHAR  
DEFAULT 'PASSWORD' NOT NULL

at

org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:749)

at

org.springframework.beans.factory.support.ConstructorResolver.instantiateUsingFactoryMethod(ConstructorResolver.java:467)

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.instantiateUsingFactoryMethod(AbstractAutowireCapableBeanFactory.java:1173)

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1067)

at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:513)

at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:483)

at  
org.springframework.beans.factory.support.AbstractBeanFactory\$1.getObject(AbstractBeanFactory.java:306)

at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:230)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:302)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:202)

at  
org.springframework.context.support.PostProcessorRegistrationDelegate.registerBeanPostProcessors(PostProcessorRegistrationDelegate.java:235)

at  
org.springframework.context.support.AbstractApplicationContext.registerBeanPostProcessors(AbstractApplicationContext.java:702)

at  
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:527)

at  
org.springframework.boot.context.embedded.EmbeddedWebApplicationContext.refresh(EmbeddedWebApplicationContext.java:122)

at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:737)

at org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:370)

at org.springframework.boot.SpringApplication.run(SpringApplication.java:314)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.run(SpringBootServletInitializer.java:151)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.createRootApplicationContext(SpringBootServletInitializer.java:131)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.onStartup(SpringBootServletInitializer.java:86)

at  
org.springframework.web.SpringServletContainerInitializer.onStartup(SpringServletContainerInitializer.java:169)

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5352)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:145)

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:755)

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)

at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)

at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'flyway' defined in class path resource [org/ohdsi/webapi/FlywayConfig.class]: Invocation of init method failed; nested exception is org.flywaydb.core.internal.command.DbMigrate\$FlywayMigrateSqlException:

Migration V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql failed

-----  
SQL State : 42601

Error Code : 0

Message : ERROR: syntax error at or near "NOT"

Position: 41

Location : db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql  
(/apache-tomcat-8.0.53/webapps/WebAPI/WEB-INF/classes/db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql)

Line : 1

Statement : ALTER TABLE webapi.source ADD COLUMN IF NOT EXISTS krb\_auth\_method VARCHAR  
DEFAULT 'PASSWORD' NOT NULL

at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1628)

at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:555)

at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:483)

at  
org.springframework.beans.factory.support.AbstractBeanFactory\$1.getObject(AbstractBeanFactory.java:306)

at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:230)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:302)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:197)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:296)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:202)

at  
org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(DependencyDescriptor.java:208)

at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:1138)

at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFactory.java:1066)

at  
org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(ConstructorResolver.java:835)

at  
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:741)

... 32 more

Caused by: org.flywaydb.core.internal.command.DbMigrate\$FlywayMigrateSQLException:

Migration V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql failed

-----  
SQL State : 42601

Error Code : 0

Message : ERROR: syntax error at or near "NOT"

Position: 41

Location : db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql  
(/apache-tomcat-8.0.53/webapps/WebAPI/WEB-INF/classes/db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql)

Line : 1

Statement : ALTER TABLE webapi.source ADD COLUMN IF NOT EXISTS krb\_auth\_method VARCHAR  
DEFAULT 'PASSWORD' NOT NULL

at org.flywaydb.core.internal.command.DbMigrate.doMigrateGroup(DbMigrate.java:345)

at org.flywaydb.core.internal.command.DbMigrate.access\$900(DbMigrate.java:53)

at org.flywaydb.core.internal.command.DbMigrate\$4.call(DbMigrate.java:276)

at org.flywaydb.core.internal.util.jdbc.TransactionTemplate.execute(TransactionTemplate.java:75)

at org.flywaydb.core.internal.command.DbMigrate.applyMigrations(DbMigrate.java:273)

at org.flywaydb.core.internal.command.DbMigrate.access\$800(DbMigrate.java:53)

```
at org.flywaydb.core.internal.command.DbMigrate$2.call(DbMigrate.java:210)
at org.flywaydb.core.internal.command.DbMigrate$2.call(DbMigrate.java:146)
at
org.flywaydb.core.internal.dbsupport.postgresql.PostgreSQLAdvisoryLockTemplate.execute(PostgreSQLAdvisoryLockTemplate.java:68)
at
org.flywaydb.core.internal.dbsupport.postgresql.PostgreSQLDbSupport.lock(PostgreSQLDbSupport.java:162)
at org.flywaydb.core.internal.metadatatable.MetadataTableImpl.lock(MetadataTableImpl.java:174)
at org.flywaydb.core.internal.command.DbMigrate.migrate(DbMigrate.java:146)
at org.flywaydb.core.Flyway$1.execute(Flyway.java:1010)
at org.flywaydb.core.Flyway$1.execute(Flyway.java:971)
at org.flywaydb.core.Flyway.execute(Flyway.java:1464)
at org.flywaydb.core.Flyway.migrate(Flyway.java:971)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeCustomInitMethod(AbstractAutowireCapableBeanFactory.java:1758)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1695)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1624)
```

... 45 more

Caused by: org.postgresql.util.PSQLException: ERROR: syntax error at or near "NOT"

Position: 41

```
at org.postgresql.core.v3.QueryExecutorImpl.receiveErrorResponse(QueryExecutorImpl.java:2270)
at org.postgresql.core.v3.QueryExecutorImpl.processResults(QueryExecutorImpl.java:1998)
```

```
at org.postgresql.core.v3.QueryExecutorImpl.execute(QueryExecutorImpl.java:255)
at org.postgresql.jdbc2.AbstractJdbc2Statement.execute(AbstractJdbc2Statement.java:570)
at
org.postgresql.jdbc2.AbstractJdbc2Statement.executeWithFlags(AbstractJdbc2Statement.java:406)
at org.postgresql.jdbc2.AbstractJdbc2Statement.execute(AbstractJdbc2Statement.java:398)
at org.flywaydb.core.internal.dbsupport.JdbcTemplate.executeStatement(JdbcTemplate.java:267)
at org.flywaydb.core.internal.dbsupport.SqlScript.execute(SqlScript.java:142)
at
org.flywaydb.core.internal.resolver.sql.SqlMigrationExecutor.execute(SqlMigrationExecutor.java:76)
at org.flywaydb.core.internal.command.DbMigrate.doMigrateGroup(DbMigrate.java:343)
... 67 more
```

08-Mar-2019 16:02:47.304 SEVERE [localhost-startStop-1]

org.apache.catalina.core.ContainerBase.addChildInternal ContainerBase.addChild: start:

org.apache.catalina.LifecycleException: Failed to start component

[StandardEngine[Catalina].StandardHost[localhost].StandardContext[/WebAPI]]

```
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:162)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:755)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1850)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

Caused by: org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'shiroFilter' defined in class path resource [org/ohdsi/webapi/ShiroConfiguration.class]: Unsatisfied dependency expressed through method 'shiroFilter' parameter 0; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'flyway' defined in class path resource [org/ohdsi/webapi/FlywayConfig.class]: Invocation of init method failed; nested exception is org.flywaydb.core.internal.command.DbMigrate\$FlywayMigrateSqlException:

Migration V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql failed

-----  
SQL State : 42601

Error Code : 0

Message : ERROR: syntax error at or near "NOT"

Position: 41

Location : db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql  
(/apache-tomcat-8.0.53/webapps/WebAPI/WEB-INF/classes/db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql)

Line : 1

Statement : ALTER TABLE webapi.source ADD COLUMN IF NOT EXISTS krb\_auth\_method VARCHAR  
DEFAULT 'PASSWORD' NOT NULL

at

org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorRes  
olver.java:749)

at

org.springframework.beans.factory.support.ConstructorResolver.instantiateUsingFactoryMethod(Const  
ructorResolver.java:467)

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.instantiateUsingFact  
oryMethod(AbstractAutowireCapableBeanFactory.java:1173)

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(  
AbstractAutowireCapableBeanFactory.java:1067)

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(Abstr  
actAutowireCapableBeanFactory.java:513)

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(Abstract  
AutowireCapableBeanFactory.java:483)

at

org.springframework.beans.factory.support.AbstractBeanFactory\$1.getObject(AbstractBeanFactory.java  
:306)



at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:230)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:302)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:202)

at  
org.springframework.context.support.PostProcessorRegistrationDelegate.registerBeanPostProcessors(PostProcessorRegistrationDelegate.java:235)

at  
org.springframework.context.support.AbstractApplicationContext.registerBeanPostProcessors(AbstractApplicationContext.java:702)

at  
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:527)

at  
org.springframework.boot.context.embedded.EmbeddedWebApplicationContext.refresh(EmbeddedWebApplicationContext.java:122)

at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:737)

at org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:370)

at org.springframework.boot.SpringApplication.run(SpringApplication.java:314)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.run(SpringBootServletInitializer.java:151)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.createRootApplicationContext(SpringBootServletInitializer.java:131)

at  
org.springframework.boot.web.support.SpringBootServletInitializer.onStartup(SpringBootServletInitializer.java:86)

at  
org.springframework.web.SpringServletContainerInitializer.onStartup(SpringServletContainerInitializer.java:169)

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5352)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:145)

... 10 more

Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'flyway' defined in class path resource [org/ohdsi/webapi/FlywayConfig.class]: Invocation of init method failed; nested exception is org.flywaydb.core.internal.command.DbMigrate\$FlywayMigrateSQLException: Migration V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql failed

-----  
SQL State : 42601

Error Code : 0

Message : ERROR: syntax error at or near "NOT"

Position: 41

Location : db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql (/apache-tomcat-8.0.53/webapps/WebAPI/WEB-INF/classes/db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql)

Line : 1

Statement : ALTER TABLE webapi.source ADD COLUMN IF NOT EXISTS krb\_auth\_method VARCHAR DEFAULT 'PASSWORD' NOT NULL

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1628)

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:555)

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:483)

at

org.springframework.beans.factory.support.AbstractBeanFactory\$1.getObject(AbstractBeanFactory.java:306)

at

org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:230)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:  
302)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:19  
7)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:  
296)

at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:20  
2)

at  
org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(DependencyDescrip  
tor.java:208)

at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultL  
istableBeanFactory.java:1138)

at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultList  
ableBeanFactory.java:1066)

at  
org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(Construct  
orResolver.java:835)

at  
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorRes  
olver.java:741)

... 32 more

Caused by: org.flywaydb.core.internal.command.DbMigrate\$FlywayMigrateSqlException:

Migration V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql failed

-----  
SQL State : 42601

Error Code : 0

Message : ERROR: syntax error at or near "NOT"

Position: 41

Location : db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql  
(/apache-tomcat-8.0.53/webapps/WebAPI/WEB-INF/classes/db/migration/postgresql/V2.5.0.20180730192730\_\_schema-add-kerberos-to-source.sql)

Line : 1

Statement : ALTER TABLE webapi.source ADD COLUMN IF NOT EXISTS krb\_auth\_method VARCHAR  
DEFAULT 'PASSWORD' NOT NULL

at org.flywaydb.core.internal.command.DbMigrate.doMigrateGroup(DbMigrate.java:345)  
at org.flywaydb.core.internal.command.DbMigrate.access\$900(DbMigrate.java:53)  
at org.flywaydb.core.internal.command.DbMigrate\$4.call(DbMigrate.java:276)  
at org.flywaydb.core.internal.util.jdbc.TransactionTemplate.execute(TransactionTemplate.java:75)  
at org.flywaydb.core.internal.command.DbMigrate.applyMigrations(DbMigrate.java:273)  
at org.flywaydb.core.internal.command.DbMigrate.access\$800(DbMigrate.java:53)  
at org.flywaydb.core.internal.command.DbMigrate\$2.call(DbMigrate.java:210)  
at org.flywaydb.core.internal.command.DbMigrate\$2.call(DbMigrate.java:146)  
at  
org.flywaydb.core.internal.dbsupport.postgresql.PostgreSQLAdvisoryLockTemplate.execute(PostgreSQL  
AdvisoryLockTemplate.java:68)  
at  
org.flywaydb.core.internal.dbsupport.postgresql.PostgreSQLDbSupport.lock(PostgreSQLDbSupport.java:  
162)  
at org.flywaydb.core.internal.metadatatable.MetadataTableImpl.lock(MetadataTableImpl.java:174)  
at org.flywaydb.core.internal.command.DbMigrate.migrate(DbMigrate.java:146)  
at org.flywaydb.core.Flyway\$1.execute(Flyway.java:1010)  
at org.flywaydb.core.Flyway\$1.execute(Flyway.java:971)  
at org.flywaydb.core.Flyway.execute(Flyway.java:1464)  
at org.flywaydb.core.Flyway.migrate(Flyway.java:971)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:498)

at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeCustomInitMethod(AbstractAutowireCapableBeanFactory.java:1758)

at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1695)

at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1624)

... 45 more

Caused by: org.postgresql.util.PSQLException: ERROR: syntax error at or near "NOT"

Position: 41

at org.postgresql.core.v3.QueryExecutorImpl.receiveErrorResponse(QueryExecutorImpl.java:2270)

at org.postgresql.core.v3.QueryExecutorImpl.processResults(QueryExecutorImpl.java:1998)

at org.postgresql.core.v3.QueryExecutorImpl.execute(QueryExecutorImpl.java:255)

at org.postgresql.jdbc2.AbstractJdbc2Statement.execute(AbstractJdbc2Statement.java:570)

at  
org.postgresql.jdbc2.AbstractJdbc2Statement.executeWithFlags(AbstractJdbc2Statement.java:406)

at org.postgresql.jdbc2.AbstractJdbc2Statement.execute(AbstractJdbc2Statement.java:398)

at org.flywaydb.core.internal.dbsupport.JdbcTemplate.executeStatement(JdbcTemplate.java:267)

at org.flywaydb.core.internal.dbsupport.SqlScript.execute(SqlScript.java:142)

at  
org.flywaydb.core.internal.resolver.sql.SqlMigrationExecutor.execute(SqlMigrationExecutor.java:76)

at org.flywaydb.core.internal.command.DbMigrate.doMigrateGroup(DbMigrate.java:343)

... 67 more

08-Mar-2019 16:02:47.305 SEVERE [localhost-startStop-1]

org.apache.catalina.startup.HostConfig.deployWAR Error deploying web application archive /apache-tomcat-8.0.53/webapps/WebAPI.war

java.lang.IllegalStateException: ContainerBase.addChild: start: org.apache.catalina.LifecycleException: Failed to start component

[StandardEngine[Catalina].StandardHost[localhost].StandardContext[/WebAPI]]

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:759)

at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)  
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)  
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)  
at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)  
at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)  
at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)  
at java.lang.Thread.run(Thread.java:748)

08-Mar-2019 16:02:47.376 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployWAR Deployment of web application archive /apache-tomcat-8.0.53/webapps/WebAPI.war has finished in 148,575 ms

08-Mar-2019 16:02:47.379 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-tomcat-8.0.53/webapps/ROOT

08-Mar-2019 16:02:47.454 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory /apache-tomcat-8.0.53/webapps/ROOT has finished in 75 ms

08-Mar-2019 16:02:47.454 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-tomcat-8.0.53/webapps/docs

08-Mar-2019 16:02:47.522 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory /apache-tomcat-8.0.53/webapps/docs has finished in 68 ms

08-Mar-2019 16:02:47.522 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-tomcat-8.0.53/webapps/examples

08-Mar-2019 16:02:48.547 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory /apache-tomcat-8.0.53/webapps/examples has finished in 1,025 ms

08-Mar-2019 16:02:48.547 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-tomcat-8.0.53/webapps/host-manager

08-Mar-2019 16:02:48.667 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory /apache-tomcat-8.0.53/webapps/host-manager has finished in 120 ms

08-Mar-2019 16:02:48.723 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-tomcat-8.0.53/webapps/manager

08-Mar-2019 16:02:48.801 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory /apache-tomcat-8.0.53/webapps/manager has finished in 78 ms

08-Mar-2019 16:02:48.801 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-tomcat-8.0.53/webapps/nlp-process-webapp-mm

08-Mar-2019 16:02:48.873 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory /apache-tomcat-8.0.53/webapps/nlp-process-webapp-mm has finished in 72 ms

08-Mar-2019 16:02:48.986 INFO [main] org.apache.coyote.AbstractProtocol.start Starting ProtocolHandler ["http-nio-8080"]

08-Mar-2019 16:02:49.477 INFO [main] org.apache.coyote.AbstractProtocol.start Starting ProtocolHandler ["ajp-nio-8009"]

08-Mar-2019 16:02:49.969 INFO [main] org.apache.catalina.startup.Catalina.start Server startup in 179739 ms

08-Mar-2019 16:05:56.906 SEVERE [ajp-nio-8009-exec-1]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.910 SEVERE [ajp-nio-8009-exec-2]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.911 SEVERE [ajp-nio-8009-exec-3]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.912 SEVERE [ajp-nio-8009-exec-4]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.913 SEVERE [ajp-nio-8009-exec-5]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.914 SEVERE [ajp-nio-8009-exec-6]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.915 SEVERE [ajp-nio-8009-exec-7]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.928 SEVERE [ajp-nio-8009-exec-8]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.929 SEVERE [ajp-nio-8009-exec-9]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.930 SEVERE [ajp-nio-8009-exec-10]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:06:06.619 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.620 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.620 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.621 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.621 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.622 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.626 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.626 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.627 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.627 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

[smanikonda@sbbioatlv002 logs]\$ less catalina.out

[smanikonda@sbbioatlv002 logs]\$

[smanikonda@sbbioatlv002 logs]\$ less catalina.out

[smanikonda@sbbioatlv002 logs]\$

[smanikonda@sbbioatlv002 logs]\$

[smanikonda@sbbioatlv002 logs]\$

[smanikonda@sbbioatlv002 logs]\$



```
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$ pwd  
/apache-tomcat-8.0.53/logs  
[smanikonda@sbbioatlv002 logs]$ pwd  
/apache-tomcat-8.0.53/logs  
[smanikonda@sbbioatlv002 logs]$ pwd  
/apache-tomcat-8.0.53/logs  
[smanikonda@sbbioatlv002 logs]$ ^C  
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$ pwd  
/apache-tomcat-8.0.53/logs  
[smanikonda@sbbioatlv002 logs]$ ^C  
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$  
[smanikonda@sbbioatlv002 logs]$ pwd  
/apache-tomcat-8.0.53/logs  
[smanikonda@sbbioatlv002 logs]$ less catalina.out  
    at  
org.flywaydb.core.internal.resolver.sql.SqlMigrationExecutor.execute(SqlMigrationExecutor.java:76)  
    at org.flywaydb.core.internal.command.DbMigrate.doMigrateGroup(DbMigrate.java:343)  
    ... 67 more
```

```
08-Mar-2019 16:02:47.305 SEVERE [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployWAR Error deploying web application archive /apache-  
tomcat-8.0.53/webapps/WebAPI.war
```

java.lang.IllegalStateException: ContainerBase.addChild: start: org.apache.catalina.LifecycleException:  
Failed to start component

[StandardEngine[Catalina].StandardHost[localhost].StandardContext[/WebAPI]]

at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:759)  
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:731)  
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)  
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:973)  
at org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1850)  
at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)  
at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)  
at java.lang.Thread.run(Thread.java:748)

08-Mar-2019 16:02:47.376 INFO [localhost-startStop-1]

org.apache.catalina.startup.HostConfig.deployWAR Deployment of web application archive /apache-  
tomcat-8.0.53/webapps/WebAPI.war has finished in 148,575 ms

08-Mar-2019 16:02:47.379 INFO [localhost-startStop-1]

org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-  
tomcat-8.0.53/webapps/ROOT

08-Mar-2019 16:02:47.454 INFO [localhost-startStop-1]

org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory  
/apache-tomcat-8.0.53/webapps/ROOT has finished in 75 ms

08-Mar-2019 16:02:47.454 INFO [localhost-startStop-1]

org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-  
tomcat-8.0.53/webapps/docs

08-Mar-2019 16:02:47.522 INFO [localhost-startStop-1]

org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory  
/apache-tomcat-8.0.53/webapps/docs has finished in 68 ms

08-Mar-2019 16:02:47.522 INFO [localhost-startStop-1]

org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-  
tomcat-8.0.53/webapps/examples

08-Mar-2019 16:02:48.547 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory  
/apache-tomcat-8.0.53/webapps/examples has finished in 1,025 ms

08-Mar-2019 16:02:48.547 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-  
tomcat-8.0.53/webapps/host-manager

08-Mar-2019 16:02:48.667 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory  
/apache-tomcat-8.0.53/webapps/host-manager has finished in 120 ms

08-Mar-2019 16:02:48.723 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-  
tomcat-8.0.53/webapps/manager

08-Mar-2019 16:02:48.801 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory  
/apache-tomcat-8.0.53/webapps/manager has finished in 78 ms

08-Mar-2019 16:02:48.801 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory /apache-  
tomcat-8.0.53/webapps/nlp-process-webapp-mm

08-Mar-2019 16:02:48.873 INFO [localhost-startStop-1]  
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory  
/apache-tomcat-8.0.53/webapps/nlp-process-webapp-mm has finished in 72 ms

08-Mar-2019 16:02:48.986 INFO [main] org.apache.coyote.AbstractProtocol.start Starting  
ProtocolHandler ["http-nio-8080"]

08-Mar-2019 16:02:49.477 INFO [main] org.apache.coyote.AbstractProtocol.start Starting  
ProtocolHandler ["ajp-nio-8009"]

08-Mar-2019 16:02:49.969 INFO [main] org.apache.catalina.startup.Catalina.start Server startup in  
179739 ms

08-Mar-2019 16:05:56.906 SEVERE [ajp-nio-8009-exec-1]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.910 SEVERE [ajp-nio-8009-exec-2]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.911 SEVERE [ajp-nio-8009-exec-3]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.912 SEVERE [ajp-nio-8009-exec-4]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.913 SEVERE [ajp-nio-8009-exec-5]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.914 SEVERE [ajp-nio-8009-exec-6]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.915 SEVERE [ajp-nio-8009-exec-7]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.928 SEVERE [ajp-nio-8009-exec-8]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.929 SEVERE [ajp-nio-8009-exec-9]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:05:56.930 SEVERE [ajp-nio-8009-exec-10]  
org.apache.coyote.ajp.AjpMessage.processHeader Invalid message received with signature 18245

08-Mar-2019 16:06:06.619 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.620 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.620 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.621 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.621 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.622 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.626 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.626 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.627 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received

08-Mar-2019 16:06:06.627 WARNING [main] org.apache.catalina.core.StandardServer.await  
StandardServer.await: Invalid command 'GET / HTTP/1.1' received